

SECRET//COMINT//REL TO USA, AUS, CAN, GBR, NZL



XKEYSCORE Workflows

05 March 2009

DERIVED FROM: NSA/CSSM 1-52
DATED: 20070108
DECLASSIFY ON: 20320108

SECRET//COMINT//REL TO USA, AUS, CAN, GBR, NZL

What is a workflow?



- Workflows automate queries.
 - One-time
 - Standing
- Every search type can be a workflow.
 - Same functionality and capability
- Follow on actions
 - Email alert
 - Download actions
 - Metadata summary

Who can submit a workflow?



- Anyone!
- One owner per workflow
 - Multiple-users can be notified
- If ownership needs to be changed, a ticket can be submitted to the team.
- Future: sharing workflows
 - Right now, only the owner has the results in their "My Results" view.

What can I do with a workflow?



- Workflows can be configured to run once
- Workflows can be configured to run daily
 - Every 1, 2, 3, 4, 6, 8, 12 or 24 hours
 - You can set an offset to start running at a certain hour
- Download results
- Email results and email alerts
- MAILORDER results
- MySQL report

Why do I want a workflow?



- XKEYSCORE has a rolling buffer of data
- Repetitive queries
- Sigdev purpose
 - Fingerprint and appid testing
- Queries take a long time during high times
- Follow on actions
 - Google Earth data
 - Statistics
 - Customizable – write a script!

How do I setup a workflow?



This system is audited for USSID 18 and Human Rights Act compliance

XKEYSCORE Welcome: switch users

Navigation Menu

- Explorer
 - Home
 - Workflow Central
 - Request**
 - My Workflows
 - Search
 - Classic
 - MultiSearch
 - Classic A-M
 - Classic N-Z
 - Common
 - Category DNI
 - Document Metadata
 - Email Addresses
 - User Activity
 - VoIP
 - Wireless
 - Results
 - My Recent Results
 - My Previous Results
 - My Ongoing Results
 - My Downloads
 - Statistics
 - Link Summarization
 - Tagging
 - Local Tagging
 - Task Extractor Tooltips

HUMAN RIGHTS ACT, USSID 18 AND USSID 9

(SYSTEM) queries require a justification to ensure Human Rights Act (HRA), USSID 18 and USSID 9 compliance. Please enter information as prompted by the query interface. An audit trail has been established and will be searched as part of Menwith Hill Station's response to any complaint brought under HRA and as part of the USSID 18 and USSID 9 process. Please note that SENSITIVE TARGETING APPROVAL (STA) is required for HRA before submitting any query which includes terms specific to a person or company (eg name, address, identity details such as communications address, passport/bank account number) who EITHER (a) is defined as a UK, British Dependent Territory (BDT) or Second Party "person" or (b) is located in the UK, or a BDT or Second Party country. STA is also required for wildcard pulls that are inevitably going to retrieve a substantial proportion of such entities (e.g. wildcarding on a UK city code). Full legal guidance is available from the HRA Compliance Officer at Menwith Hill Station.

This system is audited for USSID 18 and Human Rights Act compliance

SECRET//COMINT//REL TO USA, AUS, CAN, GBR, NZL

How do I setup a workflow?



First, s
workflc

Workflow Central Request Wizard

Please select a Search Type.

<input type="text"/>	Every session collected, indexed by "standard" DNI meta-data (to/from IP, port, casenotation, application id, sigad, etc).
Full Log	

Search Type Help

Cancel < Prev Next > Submit

a

How do I setup a workflow?



Workflow Central Request Wizard

Basic Information

Query Name:

Query Justification:

Additional Justification:

Miranda Number:

Datetime: Start: Stop:

Recurring Search **One Time Search**

Basic Features Help

Cancel Prev Next Submit

Runs once over a set datetime range

ring or one-
ist be unique per user
must have a justification
justifications

How do I setup a workflow?



Select a field to search

Select a field to search

Workflow Central Request Wizard

Add Search Fields

Search Values are ANDed by default.

To OR Search Fields:
* Use the Multiple Field Search tab (below the input fields).
* Select all the fields you wish to search.

To OR Search Values:
* Type 'OR' between each value (no quotes).

See Search Value Help below for more details or for a description of boolean logic go to [here](#).

Search Field	Search Value	Remove
From IP Address OR To IP Address	1.2.3.4	X
Attribute Info		
From IP Address		
To IP Address		+
From Port		
To Port		

Single Field Search | **Multiple Field Search**

Search Value Help

Cancel < Prev > Next Submit

Want to

For every field, you must select the PLUS key



Group by option

- Group by
- Red
- Retu

ta results.

Workflow Central Request Wizard

Group Search Fields

Would you like to group any fields?

No

Yes

Group By Type

Table Unique Values: [Group By Type Help](#)

Global Unique Values:

Columns to Group By

Datetime:

Client IP (X-Forwarded-For):

Username:

Attribute Info:

From IP Address:

To IP Address:

From Port:

To Port:

From Country (IP):

To Country (IP):

From City (IP):

To City (IP):

From Latitude (IP):

Cancel Prev Next Submit

This option groups each row in the table by the selected fields and concatenates the results.

Select the fields you want to group by.

Select databases



Workflow Central Request Wizard

Select the Database(s) to query

- xks- :q0 (xks :q0)
- xks- :qsummary (xks- :qsummary)

Content must exist

Check All

Uncheck All

Basic Features Help

Cancel < Prev > Next Submit

If this is selected, results are only returned if the content still exists at site.

Follow on Actions



Workflow Central Request Wizard

Follow-on Actions

Would you like to add any follow on actions

No
 Yes

Script	Script Arguments	Add
Email Alert	Email To: <input type="text"/>	<input type="button" value="+"/>
Email Alert	ROWR: <input type="checkbox"/> Return Only With Results	
SQL Report		
Download Sessions		

Cancel Prev Next Submit

Content) to another

Step 4 of 5: Follow on Actions
Data will be returned to the workflow as completed.

Email alert



Workflow Central Request Wizard

Follow-on Actions

Would you like to add any follow on actions

No
 Yes

Script	Script Arguments	Add
Email Alert	Email To: <input type="text"/> ROWR: <input type="checkbox"/> Return Only With Results	<input type="button" value="+"/>

Cancel Prev Next Submit

Comma delimited email addresses.
This option only sends an email if you workflow has results.

SQL report



Workflow Central Request Wizard

Follow-on Actions

Would you like to add any follow on actions

No
 Yes

Script	Script Arguments	Add
SQL Report	Type: <input type="text"/> Email To: <input type="text"/> Email Subject: <input type="text"/> Email Content: <input type="text"/> Email Attachment: <input type="checkbox"/> Email Attachment ROWR: <input type="checkbox"/> Return Only With Results Filename: <input type="text"/> Mail Order: <input type="text"/> Trigraph: <input type="text"/> SQL: <pre>SELECT FROM %{OUTPUT_TABLE} WHERE GROUP BY</pre> GZIP: <input type="checkbox"/> Compress Contents	<input type="button" value="Add"/>

Cancel Prev Next Submit

CSV or HTML

This must be a VALID SQL statement. Email metadata that a user can set.

Example:

```
SELECT casenotation, sigad  
FROM %{OUTPUT_TABLE}  
WHERE sigad!="  
GROUP BY casenotation
```


Download Results



Workflow Central Request Wizard

Follow-on Actions

Would you like to add any follow on actions

No

Yes

Script	Script Arguments	Add
Download Sessions	User ID: <input type="text"/> Email To: <input type="text"/> Email Subject: <input type="text"/> Email Content: <input type="text"/> ROWR: <input type="checkbox"/> Return Only With Results Filename: <input type="text"/> Mail Order Trigraph: <input type="text"/> GZIP: <input type="checkbox"/> Compress Contents Send To Agility: <input type="checkbox"/> Send To Agility	<input type="button" value="+"/>

Cancel < Prev Next Submit

You're almost done!



Workflow Central Request Wizard

Workflow Review

This query (Find_my_appid) will search the Full Log table in database(s):
xks-jychan:qd

The query will run **CONTINUOUSLY** executing every 6 hours beginning at 5:00 EST

The query will execute the following search criteria:

```
<and>  
<field>From IP Address</field>  
<value>1.2.3.4</value>  
</and>  
  
<and>  
<field>To Port</field>  
<value>80</value>  
</and>  
  
<and>  
<field>AppID (+Fingerprints)*</field>  
<value>search/google*</value>  
</and>
```

Workflow Values | Workflow XML

Cancel | Prev | Next | Submit

Workflow Pending



This system is audited for USSID 18 and Human Rights Act compliance

XKEYSCORE Welcome: [redacted] [switch users](#)






Home Workflow Central Search Results Statistics Tagging Preferences Help

Navigation Menu






- Explorer
 - Home
 - Workflow Central
 - Request
 - My Workflows
- Search
 - Classic
 - MultiSearch
 - Classic A-M
 - Classic N-Z
 - Common
 - Category DN
 - Document Metadata
 - Email Addresses
 - Extracted Files
 - Full Log DNI
 - HTTP Activity
 - Phone Number Extractor
 - User Activity
 - Dictionary Hits
 - File Transfer
 - MultiSearch
 - IP Addresses
 - Mac Address
 - Username
 - Network Management
 - Search Wizard
 - UserActivity
 - VoIP
 - Wireless
- Results
 - My Recent Results
 - My Previous Results
 - My Ongoing Results
 - My Downloads
- Statistics
- Link Summarization
- Tagging
 - Local Tagging
 - Task Extractions Tagging

My Workflows

Help Actions

Query Type	Query Name	Last Modified	State	Actions
full_log	Find_my_appid	2009-03-05 14:44:5	pending	    

State Actions

State	Actions
pending	    

Page 1 of 1 Page Size: 30 Displaying 1 - 1 of 1

This system is audited for USSID 18 and Human Rights Act compliance

TOP SECRET//COMINT//REL TO USA, AUS, CAN, GBR, and NZL//20320108

Workflow Approved



This system is audited for USSID 18 and Human Rights Act compliance

TOP SECRET//COMINT//REL TO USA, AUS, CAN, GBR, NZL//20320108

XKEYSCORE Welcome: [redacted] [switch users](#)

Home Workflow Central Search Results Statistics Tagging Preferences Help

Navigation Menu

- Explorer
 - Home
 - Workflow Central
 - Request
 - My Workflows
 - Search
 - Classic
 - MultiSearch
 - Classic A-M
 - Classic N-Z
 - Common
 - Category DNI
 - Document Metadata
 - Email Addresses
 - Extracted Files
 - Ful Log DNI
 - HTTP Activity
 - Phone Number Extractor
 - User Activity
 - Dictionary Hits
 - File Transfer
 - MultiSearch
 - P Addresses
 - Mac Address
 - Username
 - Network Management
 - Search Wizard
 - User Activity
 - VoIP
 - Wireless
 - Results
 - My Recent Results
 - My Previous Results
 - My Ongoing Results
 - My Downloads
 - Statistics
 - Link Summarization
 - Tagging
 - Local Tagging
 - Tech Extractor Tagging

My Workflows

Help Actions

Query Type

full_log

Workflow: Find_my_appid

```
<?xml version="1.0" encoding="UTF-8"?>
<query_jobs>
  <internal_gui>1</internal_gui>
  <datetime_created>1236264295</datetime_created>
  <job>
    <xks_userid>[redacted]</xks_userid>
    <xks_user_name>[redacted]</xks_user_name>
    <xks_password>18837b706121a0ca</xks_password>
    <search_type>full_log</search_type>
    <query_name>Find_my_appid</query_name>
    <query_justification>Testing appid signature </query_justification>
    <datetime>
      <interval>6</interval>
      <offset>5</offset>
    </datetime>
    <sql>
      <where>
        <and>
          <field>fm_ip</field>
          <value>1.2.3.4</value>
        </and>
        <and>
          <field>to_ap</field>
          <value>80</value>
        </and>
        <and>
          <field>fingerprint</field>
          <value>search/google*</value>
        </and>
      </where>
      <group_by>to_ip</group_by>
      <indexes>unique key(to_ip)</indexes>
    </sql>
    <advanced>
      <content_must_exist>true</content_must_exist>
      <routing>
        <database>xk-jychan:q0</database>
      </routing>
    </advanced>
  </job>
</query_jobs>
```

Cancel Save/Submit

Page 1 of 1 Page Size: 30 Displaying 1 - 1 of 1

This system is audited for USSID 18 and Human Rights Act compliance

TOP SECRET//COMINT//REL TO USA, AUS, CAN, GBR, NZL//20320108

log

Wizard



Common mistakes

- From IP and To IP with the same value.
- In this view, terms are ANDed together.
- Use Multiple Field Search Tab.

Workflow Central Request Wizard

Add Search Fields

Search Values are ANDed by default.

To OR Search Fields:
* Use the Multiple Field Search tab (below the input fields).
* Select all the fields you wish to search.

To OR Search Values:
* Type 'OR' between each value (no quotes).

See Search Value Help below for more details or for a description of boolean logic go to [here](#).

Search Field	Search Value	Remove
From IP Address OR To IP Address	1.2.3.4	X
Attribute into		
From IP Address		
To IP Address		+
From Port		
To Port		

Single Field Search | **Multiple Field Search**

Search Value Help

Cancel < Prev > Next Submit



Common mistakes

- Using the multiple field search does not break this up into 3 search<->value pairs.
- Enter each term separately in the single fieldsearch.

Workflow Central Request Wizard

Add Search Fields

Search Values are ANDed by default.

To OR Search Fields:
* Use the Multiple Field Search tab (below the input fields).
* Select all the fields you wish to search.

To OR Search Values:
* Type 'OR' between each value (no quotes).

See Search Value Help below for more details or for a description of boolean logic go to [here](#).

Search Field	Search Value	Remove
From IP Address	1.2.3.4	X
To IP Address	5.6.7.8	X
From Port	80	X

Single Field Search Multiple Field Search

Search Value Help

Cancel < Prev > Next Subm...

Common mistakes



- This will return ALL casenotations.
 - a will be defeated by “!a” but a does equal “!b”
- All the defeated values must be ANDed together.

Workflow Central Request Wizard

Add Search Fields

Search Values are ANDed by default.

To OR Search Fields:
* Use the Multiple Field Search tab (below the input fields).
* Select all the fields you wish to search.

To OR Search Values:
* Type 'OR' between each value (no quotes).

See Search Value Help below for more details or for a description of boolean logic go to [here](#).

Search Field	Search Value	Remove
Casenotation	!a	X
Casenotation	!b	X
Casenotation	!c	X
Casenotation	!d	X

Single Field Search Multiple Field Search

Search Value Help

Cancel Prev Next Submit

Common mistakes



Workflow Central Request Wizard

Add Search Fields

Search Values are ANDed by default.

To OR Search Fields:
 * Use the Multiple Field Search tab (below the input fields).
 * Select all the fields you wish to search.

To OR Search Values:
 * Type 'OR' between each value (no quotes).

See Search Value Help below for more details or for a description of boolean logic go to [here](#).

Search Field	Search Value	Remove
Casenotation	lc	X
Casenotation	ld	X
SIGAD	AUC-993	X

Select the Database(s) to query

AUS sites
 F6 sites
 NZ sites

Content must exist

Check All
 Uncheck All

Basic Features Help

Cancel

▪ If you are selecting specific SIGADs, only select the sites that have data from that SIGAD.

- Queries will return faster.
- Single SIGAD selected
- Less work for the system.

Common mistakes



- If you select the SQL Report option, make sure you put a valid SQL statement!

SQL statement filled in:
SELECT casenotation,
count(*)
FROM %OUTPUT_TABLE}
WHERE casenotation!=
GROUP BY casenotation

Workflow Central Request Wizard

Follow-on Actions

Would you like to add any follow on actions

No
 Yes

Script	Script Arguments	Add
SQL Report	Type: CSV Email To: analyst@work.com Email Subject: My Workflow Results Email Content: Bad SQL - empty Email Attachment: <input type="checkbox"/> Email Attachment ROWR: <input type="checkbox"/> Return Only With Results Filename: Mail Order Trigraph: SQL: SELECT casenotation, count(*) FROM %OUTPUT_TABLE} WHERE casenotation!= GROUP BY casenotation GZIP: <input type="checkbox"/> Compress Contents	<input type="button" value="+"/>

Cancel Prev Next Submit

SECRET//COMINT//REL TO USA, AUS, CAN, GBR, NZL



Questions?
xks_workflow@r1.r.nsa

SECRET//COMINT//REL TO USA, AUS, CAN, GBR, NZL