

predator assignments_ftdrm

005. UE
010. N
102. AF 114243
103. J0741399
107. 20110602
110. M5285
113. MOEA
114. 17M00F9F
115. W10
117. 55
118. E
130. 3
141. 20111231
143. 20110602
144. Y
200. USAF
202. ANG
204. ANG
205. 174FW
206. HANCOCK
207. 174FW
300. NY
301. FT DRUM
303. 440358N0754227W
306. 42T
340. C,SRM1234211-SA-N
343. J/F 12/07253
354. PARABOLIC
357. 15
362. T
363. V
373. A
400. NY
401. FT DRUM
403. 440358N0754227W
440. C,SRM1235110N
443. J/F 12/07253
454. PARABOLIC
457. 35
458. 240
459. 30
462. T
463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008,FAA
501/02. M014,0300,AGL
501/03. M015,IRAC-32666/2,SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV
520. VIDEO AND TELEMETRY DOWNLINK UAV TO GROUND STATION. MULTIPLE AIRCRAFT,
520. GROUND ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD.
520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A

predator assignments_ftdrm

520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6).
701. T02
702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG
005. UE
010. N
102. AF 114245
103. J0741400
107. 20110602
110. M5300
113. MOEA
114. 17M00F9F
115. W10
117. 55
118. E
130. 3
141. 20111231
143. 20110602
144. Y
200. USAF
202. ANG
204. ANG
205. 174FW
206. HANCOCK
207. 174FW
300. NY
301. FT DRUM
303. 440358N0754227W
306. 42T
340. C, SRM1234211-SA-N
343. J/F 12/07253
354. PARABOLIC
357. 15
362. T
363. V
373. A
400. NY
401. FT DRUM
403. 440358N0754227W
440. C, SRM1235110N
443. J/F 12/07253
454. PARABOLIC
457. 35
458. 240
459. 30
462. T
463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008, FAA
501/02. M014, 0300, AGL

predator assignments_ftdrm

501/03. M015,IRAC-32666/2,SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV
520. VIDEO AND TELEMETRY DOWNLINK UAV TO GROUND STATION. MULTIPLE AIRCRAFT,
520. GROUND ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD.
520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6)
701. T02
702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG
005. UE
010. N
102. AF 114247
103. J0741401
107. 20110602
110. M5330
113. MOEA
114. 17M00F9F
115. W10
117. 55
118. E
130. 3
141. 20111231
143. 20110602
144. Y
200. USAF
202. ANG
204. ANG
205. 174FW
206. HANCOCK
207. 174FW
300. NY
301. FT DRUM
303. 440358N0754227W
306. 42T
340. C,SRM1234211-SA-N
343. J/F 12/07253
354. PARABOLIC
357. 15
362. T
363. V
373. A
400. NY
401. FT DRUM
403. 440358N0754227W

predator assignments_ftdrm

440. C, SRM1235110N
443. J/F 12/07253
454. PARABOLIC
457. 35
458. 240
459. 30
462. T
463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008, FAA
501/02. M014, 0300, AGL
501/03. M015, IRAC-32666/2, SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV
520. VIDEO AND TELEMETRY DOWNLINK UAV TO GROUND STATION. MULTIPLE AIRCRAFT,
520. GROUND ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD.
520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6)
701. T02
702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG
005. UE
010. N
102. AF 114249
103. J0741402
107. 20110602
110. M5340
113. MOEA
114. 17M00F9F
115. W10
117. 55
118. E
130. 3
141. 20111231
143. 20110602
144. Y
200. USAF
202. ANG
204. ANG
205. 174FW
206. HANCOCK
207. 174FW

predator assignments_ftdrm

300. NY
301. FT DRUM
303. 440358N0754227W
306. 42T
340. C,SRM1234211-SA-N
343. J/F 12/07253
354. PARABOLIC
357. 15
362. T
363. V
373. A
400. NY
401. FT DRUM
403. 440358N0754227W
440. C,SRM1235110N
443. J/F 12/07253
454. PARABOLIC
457. 35
458. 240
459. 30
462. T
463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008,FAA
501/02. M014,0300,AGL
501/03. M015,IRAC-32666/2,SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV
520. VIDEO AND TELEMETRY DOWNLINK UAV TO GROUND STATION. MULTIPLE AIRCRAFT,
520. GROUND ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD.
520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6)
701. T02
702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG
005. UE
010. N
102. AF 114251
103. J0741404
107. 20110602
110. M5350
113. MOEA

predator assignments_ftdrm

114. 17M00F9F
115. W10
117. 55
118. E
130. 3
141. 20111231
143. 20110602
144. Y
200. USAF
202. ANG
204. ANG
205. 174FW
206. HANCOCK
207. 174FW
300. NY
301. FT DRUM
303. 440358N0754227W
306. 42T
340. C,SRM1234211-SA-N
343. J/F 12/07253
354. PARABOLIC
357. 15
362. T
363. V
373. A
400. NY
401. FT DRUM
403. 440358N0754227W
440. C,SRM1235110N
443. J/F 12/07253
454. PARABOLIC
457. 35
458. 240
459. 30
462. T
463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008,FAA
501/02. M014,0300,AGL
501/03. M015,IRAC-32666/2,SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV
520. VIDEO AND TELEMETRY DOWNLINK UAV TO GROUND STATION. MULTIPLE AIRCRAFT,
520. GROUND ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD.
520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM LSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6)
701. T02

predator assignments_ftdrm

702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG
005. UE
010. N
102. AF 114253
103. J0741406
107. 20110602
110. M5425
113. MOEA
114. 17M00F9F
115. W10
117. 55
118. E
130. 3
141. 20111231
143. 20110602
144. Y
200. USAF
202. ANG
204. ANG
205. 174FW
206. HANCOCK
207. 174FW
300. NY
301. FT DRUM
303. 440358N0754227W
306. 42T
340. C, SRM1234211-SA-N
343. J/F 12/07253
354. PARABOLIC
357. 15
362. T
363. V
373. A
400. NY
401. FT DRUM
403. 440358N0754227W
440. C, SRM1235110N
443. J/F 12/07253
454. PARABOLIC
457. 35
458. 240
459. 30
462. T
463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008, FAA
501/02. M014, 0300, AGL
501/03. M015, IRAC-32666/2, SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV

predator assignments_ftdrm

- 520. VIDEO AND TELEMETRY DOWNLINK UAV TO GROUND STATION. MULTIPLE AIRCRAFT,
- 520. GROUND ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD.
- 520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
- 520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
- 520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
- 520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
- 520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
- 520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
- 520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
- 520. KEPT CURRENT FOR CONTUNED OPERATIONS IN THE WHEELER SACK AAF CLASS D
- 520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
- 520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
- 520. STOP BUZZER POC IS (b) (6)
- 701. T02
- 702. ANG 2011-118
- 803. (b) (6)
- 911. 20110603
- 924. FRRS
- 927. 20110603
- 928. 20110516
- 956. MJG
- 005. UE
- 010. N
- 102. AF 114255
- 103. J0741407
- 107. 20110602
- 110. M5435
- 113. MOEA
- 114. 17M00F9F
- 115. W10
- 117. 55
- 118. E
- 130. 3
- 141. 20111231
- 143. 20110602
- 144. Y
- 200. USAF
- 202. ANG
- 204. ANG
- 205. 174FW
- 206. HANCOCK
- 207. 174FW
- 300. NY
- 301. FT DRUM
- 303. 440358N0754227W
- 306. 42T
- 340. C,SRM1234211-SA-N
- 343. J/F 12/07253
- 354. PARABOLIC
- 357. 15
- 362. T
- 363. V
- 373. A
- 400. NY
- 401. FT DRUM
- 403. 440358N0754227W
- 440. C,SRM1235110N
- 443. J/F 12/07253
- 454. PARABOLIC
- 457. 35
- 458. 240
- 459. 30
- 462. T

predator assignments_ftdrm

463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008,FAA
501/02. M014,0300,AGL
501/03. M015,IRAC-32666/2,SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV
520. VIDEO AND TELEMETRY DOWNLINK UAV TO GROUND STATION. MULTIPLE AIRCRAFT,
520. GROUND ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD.
520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTUNTED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6)
701. T02
702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG
005. UE
010. N
102. AF 114257
103. J0741408
107. 20110602
110. M5445
113. MOEA
114. 17M00F9F
115. W10
117. 55
118. E
130. 3
141. 20111231
143. 20110602
144. Y
200. USAF
202. ANG
204. ANG
205. 174FW
206. HANCOCK
207. 174FW
300. NY
301. FT DRUM
303. 440358N0754227W
306. 42T
340. C,SRM1234211-SA-N
343. J/F 12/07253
354. PARABOLIC

predator assignments_ftdrm

357. 15
362. T
363. V
373. A
400. NY
401. FT DRUM
403. 440358N0754227W
440. C,SRM1235110N
443. J/F 12/07253
454. PARABOLIC
457. 35
458. 240
459. 30
462. T
463. V
473. A
500. S189
500/02. S144
500/03. P032
501. M008,FAA
501/02. M014,0300,AGL
501/03. M015,IRAC-32666/2,SPS-13432/2
503. IRAC APPROVED PREDATOR FOR FT DRUM
503/02. 20110517, SPS/3 WILL BE APPROVED
503/03. WITHIN 6 NEXT MONTHS WITH PERM.
503/04. PROPOSALS TO FOLLOW.
511. AIR OPERATIONS
512. UAV
520. VIDEO AND TELEMETRY DOWNLINK UAV TO GROUND STATION. MULTIPLE AIRCRAFT,
520. GROUND ANTENNAS IN USE, PRIMARY OPERATIONAL ANTENNAS LISTED IN XAD/RAD.
520. DIPOLE ANTENNAS (3 DBI) USED FOR TAKEOFF AND LANDING USE ONLY. 20 MHZ
520. SEPARATION REQUIRED BETWEEN UPLINK AND DOWNLINK TO ENSURE POSITIVE
520. CONTROL OF THE UAV AND A SAFE FLYING ENVIRONMENT. FLIGHT OPERATIONS ARE
520. LIMITED TO THE WHEELER SACK AAF CLASS D AIRSPACE AT OR BELOW 3,200 FEET
520. ABOVE MEAN SEA LEVEL (MSL) AND RESTRICTED AREAS R-5201 AND R-5202. A
520. CERTIFICATE OF AUTHORIZATION (COA) FROM THE FAA IS REQUIRED PRIOR TO ANY
520. OPERATIONS IN THE WHEELER SACK AAF CLASS D AIRSPACE. THE COA MUST BE
520. KEPT CURRENT FOR CONTINUED OPERATIONS IN THE WHEELER SACK AAF CLASS D
520. AIRSPACE. (b) (6) CONCURS, AFMO 110168. FAA DON NELLIS CONCURS.
520. USER MUST NOTIFY FT DRUM TSM AT 315-772-5528 PRIOR USE OF THE FREQUENCY
520. STOP BUZZER POC IS (b) (6)
701. T02
702. ANG 2011-118
803. (b) (6)
911. 20110603
924. FRRS
927. 20110603
928. 20110516
956. MJG
005. UE
010. N
102. AF 114244
103. J0741409
107. 20110602
110. M5675
113. FAD
114. 560K00F1D
115. W10
117. 75
118. E
130. 3
141. 20111231
143. 20110602