

FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Five – The INS I-94 Database

low(b)(2), (b)(6), high(b)(2), (b)(7)(E) LE



[Redacted]

[Redacted]	low(b)(2), high(b)(2), (b)(7)(E) LE	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]

[Redacted]

[Redacted]	low(b)(2), high(b)(2), (b)(7)(E) LE	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]



FOR OFFICIAL USE ONLY

[REDACTED]

low(b)(2), high(b)(2), (b)(7)(E) LE

[REDACTED]

- [REDACTED]

[REDACTED]

- [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]







**FOR OFFICIAL USE ONLY**

**The SAVI Database**

**Overview**

This database has a worldwide compilation of arrest and seizure information on foreign nationals in 137 countries. This information comes from foreign agencies, U.S. federal agencies, in addition to state and local authorities. high(b)(2), (b)(7)(E) LE

[REDACTED]


**Performing Suspect and Violator Indices (SAVI) queries**

There are several types of queries you can perform on the Suspect and Violator Indices (SAVI) database. high(b)(2), (b)(7)(E) LE

[REDACTED]

## Performing SAVI Queries

low(b)(2), high(b)(2), (b)(7)(E) LE





FOR OFFICIAL USE ONLY

[REDACTED]

low(b)(2), high(b)(2), (b)(7)(E) LF

[REDACTED]

- [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]



- [REDACTED]
- [REDACTED]

FOR OFFICIAL USE ONLY


ATS-P (Passenger - Mainframe)

Chapter Five - The SAVI Database

low(b)(2), high(b)(2), (b)(7)(E) LE



	low(b)(2), high(b)(2), (b)(7)(E) LE	



	low(b)(2), high(b)(2), (b)(7)(E) LE	

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Five - The SAVI Database**

[REDACTED]

low(b)(2), high(b)(2), (b)(7)(E) LE

[REDACTED]

- [REDACTED]
- [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]





FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Five - The SAVI Database

[REDACTED]

low(b)(2), high(b)(2), (b)(7)(E) LE

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]







**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Five - The SAVI Database**

[REDACTED]

low(b)(2), high(b)(2), (b)(7)(E) LE

[REDACTED]

- [REDACTED]
- [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]



**FOR OFFICIAL USE ONLY**

ATS-P (Passenger - Mainframe)

Chapter Five - The SAVI Database

[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Five – The SAVI Database**

[REDACTED]

low(b)(2), high(b)(2), (b)(7)(E) LE

[REDACTED]

- [REDACTED]
- [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]





**FOR OFFICIAL USE ONLY**

**ATIS-P (Passenger - Mainframe)**

**Chapter Five - The SAVI Database**

[REDACTED]

low(b)(2), high(b)(2), (b)(7)(E) LE

[REDACTED]

- [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]







The High(b)(2), (b)(7)(E)  
LE Database

Overview

High(b)(2), (b)(7)(E) LE  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]

[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]


**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Five - The Visa Database**

**Performing** High(b)(2), (b)(7)(E) LE

Low (b)(2), High(b)(2), (b)(7)(E) LE



FOR OFFICIAL USE ONLY

THE High(b)(2), (b)(7)(E) LE [REDACTED]

Low (b)(2), High(b)(2), (b)(7)(E) LE [REDACTED]

[REDACTED]

■ [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

■ [REDACTED]


■ [REDACTED]

FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Five - The Visa Database

High(b)(2), Low (b)(2), (b)(7)(E) LE



High(b)(2), (b)(7)(E) LE

High(b)(2), Low (b)(2), (b)(7)(E) LE	

High(b)(2), (b)(7)(E) LE

High(b)(2), Low (b)(2), (b)(7)(E) LE	

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Five – The Visa Database**

[REDACTED]

High(b)(2), Low (b)(2), (b)(7)(E) LE

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

















**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Five - The Visa Database**

High(b)(2), (b)(6), Low (b)(2), (b)(7)(E) LE



	High(b)(2), Low (b)(2), (b)(7)(E) LE
	
	
	
	
	
	
	
	





**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Five – The Visa Database**

	High(b)(2), Low (b)(2), (b)(7)(E) LE	
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Five - The Visa Database**

[REDACTED]

High(b)(2), Low (b)(2), (b)(7)(E) LE

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]



**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Five - The Visa Database**

High(b)(2), Low (b)(2), (b)(7)(E) LE

FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Five - The Visa Database

[REDACTED]

High(b)(2), Low (b)(2), (b)(7)(E) LE

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]





FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Five - The Visa Database

[REDACTED]

(b)(1), (b)(2), (b)(7)(E) LE

[REDACTED]

- [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]







**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Five - The Visa Database**

[REDACTED]

High(b)(2), Low (b)(2), (b)(7)(E) LE

[REDACTED]

■ [REDACTED]

[REDACTED]

[REDACTED]  
[REDACTED]  
[REDACTED]

[REDACTED]  
[REDACTED]  
[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]



■ [REDACTED]  
■ [REDACTED]

**FOR OFFICIAL USE ONLY**


**ATS-P (Passenger - Mainframe)**

**Chapter Five – The Visa Database**

High(b)(2), Low (b)(2), (b)(7)(E) LE



	High(b)(2), Low (b)(2), (b)(7)(E) LE	



	High(b)(2), Low (b)(2), (b)(7)(E) LE	

## CHAPTER SIX - WORKING WITH ATS-P (PASSENGER)

This chapter will review the following:

- > [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Six - Working With ATS-P**

This Page Left Blank.


**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**


**Chapter Six – Working With ATS-P**

**CHAPTER SIX – WORKING WITH ATS-P (PASSENGER)**


High(b)(2), Low (b)(2), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LE




**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Six – Working With ATS-P**

High(b)(2), Low (b)(2), (b)(7)(E) LE





FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Six – Working With ATS-P

[Redacted] Low (b)(2)

High(b)(2), Low (b)(2), (b)(7)(E) LE [Redacted]

[Redacted]

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE [Redacted]

High(b)(2), Low (b)(2), (b)(7)(E) LE [Redacted]

[Redacted]

FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Six - Working With ATS-P

[REDACTED]  
High(b)(2), Low (b)(2), (b)(7)(E) LE  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]

High(b)(2), Low (b)(2), (b)(7)(E) LE  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]

High(b)(2), (b)(6), Low (b)(2), (b)(7)(E) LE  
[REDACTED]



High(b)(2), Low (b)(2), (b)(7)(E) LE  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]

FOR OFFICIAL USE ONLY


ATS-P (Passenger - Mainframe)

Chapter Six - Working With ATS-P


High(b)(2), Low (b)(2), (b)(7)(E) LE




High(b)(2), Low (b)(2), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LE




FOR OFFICIAL USE ONLY

High(b)(2), (b)(6), Low (b)(2), (b)(7)(E) LE




High(b)(2), Low (b)(2), (b)(7)(E) LL



High(b)(2), (b)(6), Low (b)(2), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LL




**FOR OFFICIAL USE ONLY**


**ATS-P (Passenger - Mainframe)**

**Chapter Six - Working With ATS-P**

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LE



FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Six - Working With ATS-P

[Redacted] Low (b)(2)

High(b)(2), Low (b)(2), (b)(7)(E) LE [Redacted]

[Redacted]

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE [Redacted]

High(b)(2), Low (b)(2), (b)(7)(E) LE [Redacted]


[Redacted]

FOR OFFICIAL USE ONLY


ATS-P (Passenger - Mainframe)

Chapter Six - Working With ATS-P


High(b)(2), Low (b)(2), (b)(7)(E) LE




High(b)(2), Low (b)(2), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LE




FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)


Chapter Six - Working With ATS-P

High(b)(2), Low (b)(2), (b)(7)(E) LE


A series of approximately 12 horizontal black bars of varying lengths, completely obscuring the text underneath.

Viewing the Flight Extract


High(b)(2), Low (b)(2), (b)(7)(E) LE

A series of four horizontal black bars of varying lengths, completely obscuring the text underneath.

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE

A large rectangular black box completely obscuring the text underneath.

High(b)(2), Low (b)(2), (b)(7)(E) LE

A series of six horizontal black bars of varying lengths, completely obscuring the text underneath.



**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Six - Working With ATS-P**

High(b)(2), Low (b)(2), (b)(7)(E) LE

[REDACTED]

Performing Research Queries

High(b)(2), Low (b)(2), (b)(7)(E) LE [Redacted]

[Redacted]

[Redacted]

High(b)(2), Low (b)(2), (b)(7)(E) LE [Redacted]


[Redacted]

FOR OFFICIAL USE ONLY


ATS-P (Passenger - Mainframe)

Chapter Six - Working With ATS-P

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LE



**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Six – Working With ATS-P**

High(b)(2), Low (b)(2), (b)(7)(E) LE

[Redacted content]



FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Six – Working With ATS-P

High(b)(2), Low (b)(2), (b)(7)(E) LE  
[Redacted]

[Redacted]  
High(b)(2), Low (b)(2), (b)(7)(E) LE  
[Redacted]

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE  
[Redacted]

High(b)(2), Low (b)(2), (b)(7)(E) LE  
[Redacted]

FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Six – Working With ATS-P

High(b)(2), Low (b)(2), (b)(7)(E) LE

[Redacted text block]

[Redacted text block]

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE

[Redacted text block]

High(b)(2), Low (b)(2), (b)(7)(E) LE

[Redacted text block]

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Six – Working With ATS-P**

High(b)(2), Low (b)(2), (b)(7)(E) LE

[REDACTED]

[REDACTED]

[REDACTED]



**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Chapter Six - Working With ATS-P**

(b)(2), (b)(7)(E)

High(b)(2), Low (b)(2), (b)(7)(E) LE

[Redacted]

High(b)(2), Low (b)(2), (b)(7)(E) LE

[Redacted]

High(b)(2), Low (b)(2), (b)(7)(E) LE


[Redacted]

FOR OFFICIAL USE ONLY


ATS-P (Passenger - Mainframe)

Chapter Six - Working With ATS-P

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LE



FOR OFFICIAL USE ONLY

[Redacted]

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE

[Redacted]

High(b)(2), Low (b)(2), (b)(7)(E) LE

[Redacted]

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE

[Redacted]

High(b)(2), Low (b)(2), (b)(7)(E) LE


[Redacted]

FOR OFFICIAL USE ONLY


ATS-P (Passenger - Mainframe)

Chapter Six – Working With ATS-P


High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE








High(b)(2), Low (b)(2), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LE






FOR OFFICIAL USE ONLY


ATS-P (Passenger - Mainframe)

Chapter Six - Working With ATS-P

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LE




FOR OFFICIAL USE ONLY


ATS-P (Passenger - Mainframe)

Chapter Six - Working With ATS-P


High(b)(2), Low (b)(2), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE



High(b)(2), Low (b)(2), (b)(7)(E) LE



FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Six - Working With ATS-P

Low (b)(2)

[Redacted]

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE

[Redacted]

b)(2), Low (b)(2), (b)(7)(E) LE

[Redacted]



**FOR OFFICIAL USE ONLY**

[Redacted]

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE  
[Redacted]

High(b)(2), Low (b)(2), (b)(7)(E) LE  
[Redacted]

[Redacted]

FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Chapter Six – Working With ATS-P

[REDACTED]  
High(b)(2), Low (b)(2), (b)(7)(E) LE  
[REDACTED]  
[REDACTED]

High(b)(2), Low (b)(2), (b)(7)(E) LE  
[REDACTED]

High(b)(2), Low (b)(2), (b)(7)(E) LE  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Appendixes**

**APPENDIXES**

**FOR OFFICIAL USE ONLY**

**003155**

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Appendixes**

This Page Left Blank.

APPENDIX A

Advisory Messages

High(b)(2), Low (b)(2), (b)(7)(E) LE

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Appendix A

High(b)(2), Low (b)(2), (b)(7)(E) LE

[REDACTED]



FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Appendix A

High (b)(2), Low (b)(2) (b)(7)(F) LE

[REDACTED]





**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Appendix B**

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	High(b)(2), Low (b)(2), (b)(7)(E) LE	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

APPENDIX C

Agency Project Codes

The following agencies have supplied information to the Suspect and Violator Indices (SAVI) database.

High(b)(2), Low (b)(2), (b)(7)(E) LE

The table is a grid with approximately 25 columns and 30 rows. The majority of the cells are filled with black redaction boxes. The only legible text within the table is the header row, which contains the text "High(b)(2), Low (b)(2), (b)(7)(E) LE".



**FOR OFFICIAL USE ONLY**

ATS-P (Passenger - Mainframe)

Appendix C

**Common Non-immigrant Visa Classifications**

B-1	TEMPORARY VISITOR FOR BUSINESS
B-2	TEMPORARY VISITOR FOR PLEASURE
C-1	ALIEN IN TRANSIT
C-2	ALIEN IN TRANSIT
C-3	FOREIGN GOVERNMENT OFFICIAL OR MEMBER OF IMMEDIATE FAMILY IN TRANSIT
C-4	TRANSIT WITHOUT VISA
E-1	TREATY TRADER, SPOUSE OR CHILD
E-2	TREATY INVESTOR, SPOUSE OR CHILD
F-1	STUDENT- ACADEMIC INSTITUTION
F-2	SPOUSE OR CHILD OF STUDENT (F1)
G-1	PRINCIPAL RESIDENT REPRESENTATIVE OF RECOGNIZED FOREIGN MEMBER GOVERNMENT TO INTERNATIONAL ORGANIZATION, OR MEMBER OF IMMEDIATE FAMILY
G-2	OTHER REPRESENTATIVE OF RECOGNIZED FOREIGN MEMBER GOVERNMENT TO INTERNATIONAL ORGANIZATION OR MEMBER OF IMMEDIATE FAMILY
G-3	REPRESENTATIVE OF NONRECOGNISED OR NONMEMBER FOREIGN GOVERNMENT TO INTERNATIONAL ORGANIZATION, OR MEMBER OF IMMEDIATE FAMILY
G-4	INTERNATIONAL ORGANIZATION OFFICER OR EMPLOYEE, OR MEMBER OF IMMEDIATE FAMILY
G-5	ATTENDANT, SERVANT, OR PERSONAL EMPLOYEE OF G1, G2, G3, G4 CLASSES, OR MEMBER OF IMMEDIATE FAMILY
H-1	WORKER OF DISTINGUISHED MERIT OR ABILITY
H-2	WORKER PERFORMING SERVICES UNAVAILABLE IN THE U.S
H-3	TRAINEE
H-4	SPOUSE OR CHILD OF H1, H2, H3
I-1	REPRESENTATIVE OF FOREIGN INFORMATION MEDIA, SPOUSE OR CHILD
J-1	EXCHANGE VISITOR
J-2	SPOUSE OR CHILD OF EXCHANGE VISITOR
K-1	FIANCE (EE) OF U.S. CITIZEN (K-1)
K-2	MINOR CHILD OF FIANCE (EE) OF U.S. CITIZEN (K-1)
L-1	INTRACOMPANY TRANSFEREE
L-2	SPOUSE OR CHILD OF INTRACOMPANY TRANSFEREE
M-1	VOCATIONAL STUDENT.
M-2	SPOUSE OR CHILD OF VOCATIONAL STUDENT (M1)
N-1 TO N-7	NATO OFFICIAL
R-1	PAROLED INTO U.S. FOR HUMANITARIAN REASONS FOR INDEFINITE TIME PERIODS
R-2	PAROLED INTO U.S. FOR DEFERRED INSPECTION
R-3	PAROLED INTO U.S. FOR LEGAL OR MEDICAL REASONS
R-4	WITHDRAWAL
R-5	STOWAWAY
RF	REFUGEE
S-9	SEASONAL AGRICULTURAL WORKERS



**FOR OFFICIAL USE ONLY**

ATS-P (Passenger - Mainframe)

Appendix C

**INS Country Codes, by Code**

101	High(b)(2), Low (b)(2), (b)(7)(E) LE	
102		
103		
104		
105		
106		
108		
109		
110		
111		
113		
114		
115		
116		
117		
118		
119		
120		
121		
122		
123		
124		
125		
126		
127		
128		
129		
130		
131		
134		
139		
140		
143		
145		
147		
148		
151		
152		
153		
154		
155		
156		
157		
158		
159		
161		

FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Appendix C

162	High(b)(2), Low (b)(2), (b)(7)(E) LE	
163		
164		
165		
166		
167		
176		
180		
201		
203		
206		
207		
214		
216		
217		
218		
220		
236		
242		
243		
244		
245		
247		
248		
249		
250		
251		
252		
253		
254		
255		
256		
257		
258		
259		
260		
261		
262		
263		
264		
266		
267		
268		
270		
271		
272		
273		
274		
275		
276		
296		



FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Appendix C

297	High(b)(2), Low (b)(2), (b)(7)(E) LE	
298		
301		
304		
310		
315		
316		
317		
320		
321		
322		
323		
324		
326		
327		
329		
330		
333		
335		
336		
338		
339		
340		
342		
343		
344		
345		
346		
347		
348		
350		
351		
352		
354		
368		
369		
370		
371		
373		
374		
375		
376		
381		
382		
383		
384		
385		
386		
387		
388		
389		

FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Appendix C

High(b)(2), Low (b)(2), (b)(7)(E) LE

390	
391	
392	
393	
394	
397	
399	
403	
404	
406	
409	
410	
411	
412	
413	
414	
416	
417	
420	
438	
440	
464	
465	
466	
467	
469	
470	
471	
472	
473	
474	
501	
502	
505	
506	
507	
508	
509	
511	
512	
513	
514	
516	
518	
519	

FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Appendix C

	High(b)(2), Low (b)(2), (b)(7)(E) LE	
520		
521		
522		
523		
524		
525		
526		
527		
529		
532		
574		
575		
576		
577		
578		
579		
580		
581		
582		
583		
584		
585		
586		
601		
602		
603		
604		
687		
688		
689		
690		
691		
692		
693		
694		
695		
696		
700		
705		
710		
999		

## FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Appendix C

### ISO Country Codes, by Code

AD	Andorra
AE	United Arab Emirates
AF	Afghanistan
AG	Antigua & Barbuda
AI	Anguilla
AL	Albania
AM	Armenia
AN	Netherlands Antilles
AO	Angola
AP	APO - Customs Mail Entry Only
AR	Argentina
AS	American Samoa
AT	Austria
AU	Australia
AW	Aruba
AZ	Azerbaijan
BA	Bosnia-Herzegovina
BB	Barbados
BD	Bangladesh
BE	Belgium
BF	Burkina Faso
BG	Bulgaria
BH	Bahrain
BI	Burundi
BJ	Benin
BM	Bermuda
BN	Brunei
BO	Bolivia
BR	Brazil
BS	Bahamas
BT	Bhutan
BU	Burma
BW	Botswana
BY	Belarus
BZ	Belize
CA	Canada
CC	Cocos (Keeling) Islands
CD	Congo (Kinshasa) Formally Zaire
CF	Central African Republic
CG	Congo (Brazzaville)
CH	Switzerland
CI	Ivory Coast
CK	Cook Islands
CL	Chile
CM	Cameroon
CN	China (mainland)
CO	Colombia

## FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Appendix C

CR	Costa Rica
CS	Czechoslovakia
CU	Cuba
CV	Cape Verde
CX	Christmas Island (Indian Ocean)
CY	Cyprus
CZ	Czech Republic
DD	Germany, Dem. Republic (East)
DE	Germany, Fed. Republic
DJ	Djibouti
DK	Denmark
DM	Dominica
DO	Dominican Republic
DZ	Algeria
EC	Ecuador
EE	Estonia
EG	Egypt
EH	Western Sahara
EN	Estonia
ER	Eritrea
ES	Spain
ET	Ethiopia
EU	European Economic Community
FI	Finland
FJ	Fiji
FK	Falkland Islands
FM	Micronesia, Federated States
FO	Faroe Islands
FP	FPO - Customs Mail Entry Only
FR	France
GA	Gabon
GB	United Kingdom
GD	Grenada
GE	Georgia
GF	French Guiana
GG	Georgia
GH	Ghana
GI	Gibraltar
GL	Greenland
GM	Gambia, The
GN	Guinea
GP	Guadeloupe
GQ	Equatorial Guinea
GR	Greece
GT	Guatemala
GU	Guam
GW	Guinea-Bissau
GY	Guyana
GZ	Gaza Strip
HK	Hong Kong
HM	Heard and McDonald Islands
HN	Honduras

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Appendix C**

<b>HR</b>	Croatia
<b>HT</b>	Haiti
<b>HU</b>	Hungary
<b>ID</b>	Indonesia
<b>IE</b>	Ireland
<b>IL</b>	Israel
<b>IN</b>	India
<b>IO</b>	British Indian Ocean Territory
<b>IQ</b>	Iraq
<b>IR</b>	Iran
<b>IS</b>	Iceland
<b>IT</b>	Italy
<b>JM</b>	Jamaica
<b>JO</b>	Jordan
<b>JP</b>	Japan
<b>KE</b>	Kenya
<b>KG</b>	Kyrgyzstan
<b>KH</b>	Cambodia
<b>KI</b>	Kiribati
<b>KK</b>	Kazakhstan
<b>KM</b>	Comoros
<b>KN</b>	St. Kitts-Nevis Islands
<b>KP</b>	North Korea
<b>KR</b>	Korea, Republic of
<b>KW</b>	Kuwait
<b>KY</b>	Cayman Islands
<b>KZ</b>	Kazakhstan
<b>LA</b>	Laos
<b>LB</b>	Lebanon
<b>LC</b>	St. Lucia
<b>LI</b>	Liechtenstein
<b>LK</b>	Sri Lanka
<b>LR</b>	Liberia
<b>LS</b>	Lesotho
<b>LT</b>	Lithuania
<b>LU</b>	Luxembourg
<b>LV</b>	Latvia
<b>LY</b>	Libya
<b>MA</b>	Morocco
<b>MC</b>	Monaco
<b>MD</b>	Moldova
<b>MG</b>	Madagascar (Malagasy)
<b>MH</b>	Marshall Islands
<b>MK</b>	Macedonia (Skopje)
<b>ML</b>	Mali
<b>MM</b>	Burma (Myanmar)
<b>MN</b>	Mongolia
<b>MO</b>	Macao (Macau)
<b>MP</b>	Northern Mariana Islands
<b>MQ</b>	Martinique
<b>MR</b>	Mauritania
<b>MS</b>	Montserrat

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Appendix C**

<b>MT</b>	Malta and Gozo
<b>MU</b>	Mauritius
<b>MV</b>	Maldives Islands
<b>MW</b>	Malawi
<b>MX</b>	Mexico
<b>MY</b>	Malaysia
<b>MZ</b>	Mozambique
<b>NA</b>	Namibia
<b>NC</b>	New Caledonia
<b>NE</b>	Niger
<b>NF</b>	Norfolk Island
<b>NG</b>	Nigeria
<b>NI</b>	Nicaragua
<b>NL</b>	Netherlands
<b>NO</b>	Norway
<b>NP</b>	Nepal
<b>NR</b>	Nauru
<b>NT</b>	Iraq-Saudi Arabia Neutral Zone
<b>NU</b>	Niue
<b>NZ</b>	New Zealand
<b>OM</b>	Oman
<b>PA</b>	Panama
<b>PE</b>	Peru
<b>PF</b>	French Polynesia
<b>PG</b>	Papua New Guinea
<b>PH</b>	Philippines
<b>PK</b>	Pakistan
<b>PL</b>	Poland
<b>PM</b>	St Pierre and Miquelon
<b>PN</b>	Pitcairn Island
<b>PR</b>	Puerto Rico
<b>PT</b>	Portugal
<b>PW</b>	Palau
<b>PY</b>	Paraguay
<b>QA</b>	Qatar
<b>RE</b>	Reunion (Island, French)
<b>RO</b>	Romania
<b>RU</b>	Russia
<b>RW</b>	Rwanda
<b>SA</b>	Saudi Arabia
<b>SB</b>	Solomon Islands
<b>SC</b>	Seychelles
<b>SD</b>	Sudan
<b>SE</b>	Sweden
<b>SG</b>	Singapore
<b>SH</b>	St Helena
<b>SI</b>	Slovenia
<b>SJ</b>	Svalbard and Jan Mayen Islands
<b>SK</b>	Slovakia
<b>SL</b>	Sierra Leone
<b>SM</b>	San Marino
<b>SN</b>	Senegal

## FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Appendix C

SO	Somalia
SQ	Slovakia
SR	Suriname
ST	Sao Tome and Principe
SU	Union of Soviet Socialist Reps
SV	El Salvador
SY	Syria
SZ	Swaziland
TC	Turks and Caicos Islands
TD	Chad
TF	Fr Southern & Antarctic Lands
TG	Togo
TH	Thailand
TJ	Tajikistan
TK	Tokelau Islands
TM	Turkmenistan
TN	Tunisia
TO	Tonga
TP	East Timor
TR	Turkey
TT	Trinidad and Tobago
TV	Tuvalu
TW	China (Taiwan)
TZ	Tanzania
UA	Ukraine
UG	Uganda
UM	United States Outlying Islands
US	United States of America
UY	Uruguay
UZ	Uzbekistan
VA	Vatican City
VC	St. Vincent and the Grenadines
VE	Venezuela
VG	British Virgin Islands
VI	Virgin Island of the US
VN	Vietnam
VU	Vanuatu
WE	West Bank
WF	Wallis and Fortuna
WS	Western Samoa
XA	Alberta (Canada)
XB	New Brunswick (Canada)
XC	British Columbia (Canada)
XM	Manitoba (Canada)
XN	Nova Scotia (Canada)
XO	Ontario (Canada)
XP	Prince Edward Island (Canada)
XQ	Quebec (Canada)
XS	Saskatchewan (Canada)
XT	Northwest Territories (Canada)
XW	Newfoundland (Canada)
XY	Yukon Territory (Canada)



**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Appendix C**

<b>YD</b>	Yemen (Aden)
<b>YE</b>	Yemen (Sana)
<b>YU</b>	Yugoslavia
<b>ZA</b>	Republic of South Africa
<b>ZM</b>	Zambia
<b>ZR</b>	Zaire
<b>ZW</b>	Zimbabwe
<b>99</b>	Default All Ctry for Census Edits

**FOR OFFICIAL USE ONLY**


**ATS-P (Passenger - Mainframe)**

**Appendix C**



of a Suspect and Violator Indices (SAVI) record:

High(b)(2), Low (b)(2), (b)(7)(E) LE



FOR OFFICIAL USE ONLY

ATS-P (Passenger - Mainframe)

Appendix D

APPENDIX D

[REDACTED]

[REDACTED]

High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE

[REDACTED]

**FOR OFFICIAL USE ONLY**

**ATS-P (Passenger - Mainframe)**

**Appendix D**



High(b)(2), Low (b)(2), (b)(6), (b)(7)(E) LE

A large, solid black rectangular redaction box covering the majority of the page's content, starting below the FOIA exemption codes and extending nearly to the bottom of the page.