FOUO

1058805

The data expungement and corrective actions processes that are utilized by IDW are identified in the Investigative Data Warehouse-Secret Version 1 (IDW-S V1) Data Administration Manual (DAM), Version 0.6, 23 DEC 2005, Section 4, as excerpted below.

For files that are unauthorized due to classification issues, the following process applies.

4. IDW-S Data Security Administration

As noted earlier, the IDW-S system is authorized to hold and process national security data classified up to and including Secret. The IDW-S system is not authorized to process any Top Secret data nor any Sensitive Compartmented Information (SCI). To ensure that IDW-S contains only data for which it is authorized, all data received by IDW-S is subjected to an automated process of **b**2 b7E b2 b7E The procedure for deleting individual files from IDW-S is provided below. b2 b7E The procedure for secure deletion of individual files is also provided below.

These process are also outlined in the Federal Bureau of Investigation (FBI) Investigative Data Warehouse (IDW) System Security Plan, Version 2.0, dated May 31, 2006, Section 3.1.3.

For files that are unauthorized due to categorization or content issues, the following process applies.

In spite of the many precautions taken, it can occur that data for which IDW-S is not

4.1 Deleting Individual Files from IDW-S

authorized is ingested into IDW-S. When such data is discovered on IDW-S it is necessary to delete this data and to update the Document Tracking Database with the appropriate "DEL" status for the file. For this purpose b2 was created. There are three usages for b7E Usage 1: Usage 2 Usage 3 where b2 is the option to create a "delete file" full filename(s) and filepath(s) of the b7E files to be deleted. is a text file containing the IDW Document ID's of the files to be deleted. is the option to delete all files with the given IDW Document ID's from the filesystem and to update the Tracking Database with the appropriate "DEL" b2 b7E status for the files. lis the name of the "delete file" containing the full filename(s) and filepath(s) of the files to be deleted. The is created in the same filepath as the The format of b2 b7E is an option to update the Tracking Database with "DEL" status for the files but not to perform a delete action on the files. This option is provided for the case where the files have been previously (e.g., manually) deleted off the filesystem. Note that these three usages enable two modalities with respect to deleting files off of **IDW-S**: Mode 1: Usage 1 followed by Usage 2 deletes files with the IDW Document ID's specified in from the filesystem updates the Tracking b2 Database with the appropriate "DEL" status for the files. b7E Mode 2: Usage 1 followed by Usage 3 updates the Tracking Database with "DEL" status for the files specified in This mode is used to reconcile the Tracking Database when the files have been previously (e.g., manually) deleted off the filesystem. b2 reads the IDW Document ID values in When executed b7E and for each IDW Document ID the program: